



PARTS MANUAL

AGROCOMPACT 70F4

TRACTOR

PRINTED BY :
heavy-equipmentmanual.com

AgroCompact 70F4

GEAR

GENERAL

CLUTCH 12".....	02.00.7
CLUTCH 12".....	02.00.8
CLUTCH CONTROL - FOR TYPES WITH FENDERS.....	02.00.15
CLUTCH CONTROL - FOR MODELS WITH PLATFORM.....	02.00.16
CLUTCH CONTROL - FOR 28" NARROW PLATFORM.....	02.00.23
CLUTCH CONTROL.....	02.00.24
CLUTCH CONTROL.....	02.00.31
GEARBOX.....	02.00.32
GEARBOXFIXINGS.....	02.00.39
GEARBOX REAR.....	02.00.40
REAR GEARBOX CASE P.T.O. + SINCRO.....	02.00.47
REAR GEARBOX CASE.....	02.00.48
COMPLETION WITHOUT H-M-L.....	02.00.55
STANDARD GEARBOX.....	02.00.56
STANDARD GEARBOX.....	02.00.63
4 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	02.00.71
5 SPEED GEARBOX - WITHOUT MINI REDUCTION GEAR.....	02.00.80
5 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	02.00.87
GEAR CHANGE BOX H-M-L.....	02.00.88
GEAR CHANGE BOX H-M-L.....	02.00.95
GEAR CHANGE BOX H-M-L.....	02.00.96
TRANSMISSION SHAFT - FOR TYPES WITHOUT H-M-L.....	02.00.103
SPEED RANGE REDUCTION GEAR UNIT.....	02.00.104
SPEED RANGE REDUCTION GEAR SHAFT - FOR MECHANICAL CONTROLS.....	02.00.111
SPEED RANGE REDUCTION GEAR SHAFT - FOR ELECTROHYDRAULIC CONTROLS.....	02.00.112
2-RANGE BOX.....	02.00.119
2-RANGE BOX 30 Km/h.....	02.00.120
2-RANGE BOX 40 KM/H.....	02.00.127
3-RANGE BOX 30 Km/h.....	02.00.128
3-RANGE BOX 40 KM/H.....	02.00.135
GEARSHIFT LEVER.....	02.00.136
REVERSING GEAR UNIT CONTROLS.....	02.00.143
REDUCTION GEAR CONTROL.....	02.00.144
GEAR SHIFTING.....	02.00.151
GEAR SHIFTING H - M - L.....	02.00.152
CONTROLS-MINI REDUCTION REVERSING GEAR UNITS.....	02.00.159
CONTROL FOR 3-RANGE GEARBOX.....	02.00.160
DIFFERENTIAL.....	02.00.167
DIFFERENTIAL LOCK CONTROL.....	02.00.168
DIFFERENTIAL LOCK CONTROL - MECHANICAL.....	02.00.175

DIFFERENTIAL LOCK CONTROL - ELECTROHYDRAUDLIC.....	02.00.176
BEVEL WHEEL GEAR $z=8$ $z=36$	02.00.180
BEVEL WHEEL GEAR $z=9$ $z=32$	02.00.187
BEVEL WHEEL GEAR $Z = 12 / Z = 45$	02.00.188
DIFFERENTIAL LOCK CONTROL - MECHANICAL - FOR TYPES WITH FENDERS.....	02.00.195
DIFFERENTIAL LOCK CONTROL - MECHANICAL - FOR TYPES WITH FENDERS.....	02.00.196
4-RANGE GEARBOX COVER.....	02.00.203
5-RANGE GEARBOX COVER.....	02.00.204
COVER FOR UNDERDRIVE.....	02.00.211
SHUTTLE COVER.....	02.00.212
2-RANGE REDUCTION UNIT COVER.....	02.00.219
3-RANGE REDUCTION UNIT COVER.....	02.00.220
CYLINDER PARTS.....	0.007.1961.4/20.A
SYNCHRONIZER PARTS (GRAZIANO).....	0.007.7620.4/10.A
SYNCHRONIZER PARTS (CATTINI).....	0.007.7620.4/10.B
SYNCHRONIZER PARTS.....	0.007.7621.4.A
MASTER CYLINDER PARTS.....	0.010.1148.4/10.A

Section: GEAR

CLUTCH 12"

9_51123_00_0_0




Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[AgroCompact 70F4]

1	0.008.4254.3/10	1	clutch assy 12"
2	0.009.6924.3/30	1	clutch plate 12"
3	2.1699.173.0	1	pin 7.9x18
4	2.1470.004.2	8	lock washer 8
5	2.0112.207.2	8	screw m 8 p 1.25 x 20
6	2.1310.004.2	8	flat washer 8.4x17
7	2.1699.201.0	1	pin 6.36x18

Section: GEAR
CLUTCH 12"


Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[AgroCompact 70F4]

1	0.008.4254.3/10	1	clutch assy 12"
2	0.014.1111.3	1	clutch plate 12"
3	2.1699.173.0	1	pin 7.9x18
4	2.1470.004.2	8	lock washer 8
5	2.0112.207.2	8	screw m 8 p 1.25 x 20
6	2.1699.201.0	1	pin 6.36x18
7	2.1310.004.2	8	flat washer 8.4x17

9_40523_00_0_A



Section: GEAR


CLUTCH CONTROL - FOR TYPES WITH FENDERS

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

(...) <- X AgroCompact F60 (...) <- X AgroCompact 70F3 (...) <- X AgroCompact 70F4 (...) <- X AgroCompact F80 (...) <- X AgroCompact F90 [AgroCompact 70F4]

1	0.010.1148.4/10	1	pump COMPONENT PARTS SEE COMPONENTS LIST ☞ 0.010.1148.4/10
2	2.1470.004.2	2	lock washer 8
3	2.0312.206.2	2	screw m 8 p 1.25 x 20
4	2.1599.511.2	2	shoulder ring 30.5x45x2
5	0.010.1143.3/20	1	pedal
5.2	2.1559.117.0/20	2	special bushing 30x34x20
6	2.1410.012.1	2	circlip 30
7	2.1671.406.2	1	pin
8	2.1690.308.2	1	split pin A3x20
9	2.4049.175.2	1	spring
10	2.7659.097.0	1	switch
11	2.1310.028.2	2	flat washer
12	2.0119.070.6	2	screw m 4 p.0.7 x 16
14	2.3332.003.2	1	pipe union m 12 p.1.25 x 23
15	2.1560.008.0	2	gasket 12.2 x 18
16	0.010.9028.3	1	tube
17	2.1470.052.2	2	lock washer 4
35	2.3131.052.2	1	plug m 32 p.1.5



Section: GEAR


CLUTCH CONTROL - FOR MODELS WITH PLATFORM


Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[AgroCompact 70F4]

1	0.010.1148.4/10	1	pump COMPONENT PARTS SEE COMPONENTS LIST ☞ 0.010.1148.4/10
2	2.1470.004.2	2	lock washer 8
3	2.0312.206.2	2	screw m 8 p 1.25 x 20
4	2.1599.511.2	2	shoulder ring 30.5x45x2
5	0.010.1143.3/20	1	pedal
5.2	2.1559.117.0/20	2	special bushing 30x34x20
6	2.1410.012.1	2	circlip 30
7	2.1671.406.2	1	pin
8	2.1690.308.2	1	split pin A3x20
9	2.4049.175.2	1	spring
10	2.7659.096.0/10	1	switch
11	2.1310.028.2	2	flat washer
12	2.0119.070.6	2	screw m 4 p.0.7 x 16
14	2.3332.003.2	1	pipe union m 12 p.1.25 x 23
15	2.1560.008.0	2	gasket 12.2 x 18
16	0.010.9028.3	1	tube
17	2.1470.052.2	1	lock washer 4
35	2.3131.052.2	1	plug m 32 p.1.5
36	2.6569.034.0	1	grommet 24x13x13.5

Section: GEAR

CLUTCH CONTROL - FOR 28" NARROW PLATFORM**Notes:**

[AgroCompact 70F4]

Fig.	P/n	QTY	Name
1	0.010.1148.4/10	1	pump COMPONENT PARTS SEE COMPONENTS LIST ☞ 0.010.1148.4/10
2	2.1470.004.2	2	lock washer 8
3	2.0312.206.2	2	screw m 8 p 1.25 x 20
4	2.1599.511.2	2	shoulder ring 30.5x45x2
5	0.010.1143.3/20	1	pedal
5.2	2.1559.117.0/20	2	special bushing 30x34x20
6	2.1410.012.1	2	circlip 30
7	2.1671.406.2	1	pin
8	2.1690.308.2	1	split pin A3x20
9	2.4049.175.2	1	spring
10	2.7659.096.0/10	1	switch
11	2.1310.028.2	2	flat washer
12	2.0119.070.6	2	screw m 4 p.0.7 x 16
14	2.3332.003.2	1	pipe union m 12 p.1.25 x 23
15	2.1560.008.0	2	gasket 12.2 x 18
16	0.012.2624.3/10	1	tube
17	2.1470.052.2	1	lock washer 4
35	2.3131.052.2	1	plug m 32 p.1.5
36	2.6569.034.0	1	grommet 24x13x13.5

9_21165_01_0_0

Section: GEAR


CLUTCH CONTROL

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:


[AgroCompact 70F4]

1	0.007.1961.4/20	1	cylinder COMPONENT PARTS SEE COMPONENTS LIST ☞ 0.007.1961.4/20
2	0.009.7023.0	1	flange
3	2.0112.215.2	2	screw m 8 p.1.25 x 40
4	2.1470.004.2	2	lock washer 8
5	2.3199.039.0	1	plug
6	2.0312.204.2	2	screw m 8 p.1.25 x 16
7	2.3131.052.2	2	plug m 32 p.1.5
8	0.010.9029.3	1	tube
9	2.3339.796.2	1	extension
10	2.1560.008.0	1	gasket 12.2 x 18
11	2.3339.658.2/20	1	pipe fitting m 12 p.1.25
12	0.010.8193.0	2	bracket 1017 <- X AgroCompact F60 1005 <- X AgroCompact 70F3 1018 <- X AgroCompact 70F4 1024 <- X AgroCompact F80 1007 <- X AgroCompact F90
13	2.0112.213.2	1	screw m 8 p.1.25 x 35 1017 <- X AgroCompact F60 1005 <- X AgroCompact 70F3 1018 <- X AgroCompact 70F4 1024 <- X AgroCompact F80 1007 <- X AgroCompact F90
14	2.1310.004.2	1	flat washer 8.4x17
15	2.1011.105.2	1	nut m 8 p.1.25
16	0.011.3339.2	1	small plate -> 1018 X AgroCompact F60 -> 1006 X AgroCompact 70F3 -> 1019 X AgroCompact 70F4 -> 1025 X AgroCompact F80 -> 1008 X AgroCompact F90



9_70565_02_0_0

Section: GEAR

CLUTCH CONTROL

9_70565_00_0_0

Notes:

[AgroCompact 70F4]

Fig.	P/n	QTY	Name
1	2.2999.475.0	1	special bearing 55x90x22
2	0.255.6533.0/30	1	sleeve
3	0.009.7022.0/10	1	fork
4	0.009.9805.0/10	1	tube
			1154 <- X AgroCompact F60
			1041 <- X AgroCompact 70F3
			1233 <- X AgroCompact 70F4
			1330 <- X AgroCompact F80
			1174 <- X AgroCompact F90
4	0.013.9852.0/10	1	tube
			-> 1155 X AgroCompact F60
			-> 1042 X AgroCompact 70F3
			-> 1234 X AgroCompact 70F4
			-> 1331 X AgroCompact F80
			-> 1175 X AgroCompact F90
6	2.1690.206.2	1	split pin A2x15
7	2.1699.223.0	1	pin 8 x 45
			1091 <- X AgroCompact F60
			1019 <- X AgroCompact 70F3
			1122 <- X AgroCompact 70F4
			1132 <- X AgroCompact F80
			1050 <- X AgroCompact F90
8	2.1599.496.0/10	1	shoulder ring 8x40x5
9	0.010.5061.0/20	1	pin mm 93.5
10	2.0399.202.7/10	1	screw m 10 p1.5x16
11	2.1475.003.2	1	washer 10
12	2.1011.106.2	1	nut m 10 p.1.5
13	2.1475.003.2	1	washer 10
14	2.1420.018.1	1	circlip 45
			-> 1155 X AgroCompact F60
			-> 1042 X AgroCompact 70F3
			-> 1234 X AgroCompact 70F4
			-> 1331 X AgroCompact F80
			-> 1175 X AgroCompact F90