



# **PARTS MANUAL**

## **AGROKID 30 TRACTOR**

PRINTED BY :  
[heavy-equipmentmanual.com](http://heavy-equipmentmanual.com)

## Agrokid 30

### ACCESSORIES

#### GENERAL

|                                                                                       |                   |
|---------------------------------------------------------------------------------------|-------------------|
| 4-WAY AUXILIARY DISTRIBUTOR.....                                                      | 0E.00.0           |
| 4-WAY AUXILIARY DISTRIBUTOR.....                                                      | 0E.00.7           |
| 4-WAY AUXILIARY DISTRIBUTOR.....                                                      | 0E.00.8           |
| PIPES/HOSES FOR QUICK ACTION REAR COUPLERS.....                                       | 0E.00.15          |
| PIPES/HOSES FOR QUICK ACTION REAR COUPLERS.....                                       | 0E.00.16          |
| PIPES/HOSES FOR QUICK ACTION REAR COUPLERS - WITHOUT QUICK ACTION FRONT COUPLERS..... | 0E.00.23          |
| PIPES/HOSES FOR QUICK ACTION REAR COUPLERS - WITH QUICK ACTION FRONT COUPLERS.....    | 0E.00.24          |
| HYDRAULIC SYSTEM WITH CENTRAL AND FRONT QUICK ACTION COUPLERS.....                    | 0E.00.31          |
| HYDRAULIC SYSTEM - MID QUICK SERVICE COUPLERS - FOR MODELS WITHOUT FRONT LIFT.....    | 0E.00.32          |
| SUPPORT FOR QUICK ACTION REAR COUPLERS.....                                           | 0E.00.39          |
| SUPPORT FOR QUICK ACTION REAR COUPLERS - WITH FOLD-DOWN ROPS.....                     | 0E.00.40          |
| SUPPORT FOR QUICK ACTION REAR COUPLERS.....                                           | 0E.00.47          |
| 3 POINT HITCH.....                                                                    | 0E.00.48          |
| 3 POINT HITCH.....                                                                    | 0E.00.55          |
| THREE-POINT COUPLING - TOP/LOWER LINK.....                                            | 0E.00.56          |
| THREE-POINT COUPLING - TOP/LOWER LINK.....                                            | 0E.00.63          |
| THREE-POINT COUPLING - TOP/LOWER LINK.....                                            | 0E.00.72          |
| TOWING BAR.....                                                                       | 0E.00.79          |
| FRONT TOWING HITCH.....                                                               | 0E.00.87          |
| TOWING HOOK WITH FRONT POWER-LIFT.....                                                | 0E.00.88          |
| REAR TOWING HITCH CAT. " C ".....                                                     | 0E.00.92          |
| REAR TOWING HITCH.....                                                                | 0E.00.99          |
| TOWING HITCH.....                                                                     | 0E.00.101         |
| REAR OSCILLATING HITCH.....                                                           | 0E.00.105         |
| WHEEL BALLAST.....                                                                    | 0E.00.110         |
| FRONT BALLAST Kg 60.....                                                              | 0E.00.113         |
| BRACKET FOR TOOL BOX.....                                                             | 0E.00.116         |
| BRACKET FOR TOOL BOX.....                                                             | 0E.00.123         |
| LUBRICATOR.....                                                                       | 0E.00.124         |
| TOOL POUCH.....                                                                       | 0E.00.130         |
| DRAWBAR COUPLING.....                                                                 | 0.012.4295.4.A    |
| ENGAGEMENT.....                                                                       | 0.98308.50.3/10.A |
| ENGAGEMENT.....                                                                       | 0.98309.50.3/10.A |


**4-WAY AUXILIARY DISTRIBUTOR**

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

**Notes:**

1158 <- X Agrokid 30    1171 <- X Agrokid 40    1278 <- X Agrokid 50    [Agrokid 30]

|      |                 |   |                         |
|------|-----------------|---|-------------------------|
| 1    | 0.009.2559.4/10 | 1 | spool valve             |
| 1.1  | 0.000.0000.1    |   | cannot be supplied      |
| 1.2  | 0.009.2566.0    | 4 | bush                    |
| 1.3  | 2.4019.563.1    | 2 | spring                  |
| 1.4  | 0.009.2562.0    | 1 | pin                     |
| 1.5  | 0.009.2563.0    | 2 | cap                     |
| 1.6  | 2.4019.564.1    | 1 | spring                  |
| 1.7  | 0.009.2565.0    | 1 | pin                     |
| 1.8  | 0.009.2561.0    | 1 | bush                    |
| 1.9  | 0.009.2564.0    | 1 | small plate             |
| 1.10 | 2.1480.012.1    | 2 | washer 6, d128          |
| 1.11 | 2.0312.102.2    | 2 | screw m 6 p.1 x 12      |
| 1.12 | 2.2810.005.0    | 1 | ball mm 8.731           |
| 1.13 | 2.4019.399.1    | 1 | spring                  |
| 1.14 | 2.1560.007.0    | 1 | gasket 12.2x16          |
| 1.15 | 2.3139.012.2/10 | 1 | plug                    |
| 1.18 | 2.1560.010.0    | 1 | gasket 14.2 x 20        |
| 1.19 | 0.009.3580.3    | 1 | valve                   |
| 1.37 | 2.1560.005.0    | 1 | copper gasket 10.2 x 14 |
| 1.38 | 2.3110.401.1    | 1 | plug                    |



9\_A4888\_15\_0\_A

# Agrokid 30

Section: ACCESSORIES

Ref: 0E.00.7


## 4-WAY AUXILIARY DISTRIBUTOR

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

### Notes:

1158 <- X Agrokid 30 1171 <- X Agrokid 40 1278 <- X Agrokid 50 [Agrokid 30]

|      |                 |   |                          |
|------|-----------------|---|--------------------------|
| 10   | 2.1480.012.1    | 4 | washer 6, d128           |
| 16   | 2.1530.025.0    | 7 | oil seal 10.82x1.78      |
| 17   | 2.0312.108.2    | 4 | screw m 6 p.1 x 25       |
| 18   | 2.1560.010.0    | 5 | gasket 14.2 x 20         |
| 20   | 2.3199.237.2/10 | 1 | plug                     |
| 21   | 0.010.4495.0/10 | 1 | screw                    |
| 22   | 2.1531.007.0    | 1 | oil seal 4.48x1.78       |
| 23   | 2.1420.002.0    | 1 | circlip a 8              |
| 24   | 0.013.3267.3/10 | 1 | shaft                    |
| 24.2 | 2.1555.005.0    | 2 | bushing 10x12x10         |
| 25   | 2.1530.035.0    | 1 | oil seal 14.00x1.78      |
| 27   | 0.013.3268.0    | 1 | shaft                    |
| 28   | 0.009.2578.3/10 | 1 | lever                    |
| 29   | 2.0112.011.2    | 1 | screw m 6 p.1x30         |
| 30   | 2.1470.002.2    | 2 | lock washer 6            |
| 32   | 0.009.2579.3    | 1 | lever                    |
| 33   | 2.1720.002.0    | 3 | key                      |
| 34   | 0.009.2577.3/10 | 1 | tube                     |
| 35   | 2.3335.006.2    | 2 | pipe union m 14 p.1.5X26 |
| 36   | 2.0112.007.2    | 1 | screw m 6 p.1 x 20       |
| 39   | 2.1599.711.0    | 1 | shoulder ring 10x12.6x3  |
| 40   | 2.1531.021.0    | 1 | oil seal 9.66x1.78       |
| 42   | 2.4019.258.1    | 1 | spring 7.8x25.5x0.9      |
| 44   | 2.2810.005.0    | 1 | ball mm 8.731            |
| 45   | 0.013.5188.2    | 1 | lever                    |
| 46   | 2.1120.005.2    | 1 | nut m 8 p.1.25           |




## Section: ACCESSORIES

**4-WAY AUXILIARY DISTRIBUTOR**

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|


**Notes:**

-&gt; 1159 X Agrokid 30 -&gt; 1172 X Agrokid 40 -&gt; 1279 X Agrokid 50 [Agrokid 30]



|      |                 |   |                          |
|------|-----------------|---|--------------------------|
| 1    | 0.014.0516.4    | 1 | spool valve assy.        |
| 1.1  | 0.000.0000.1    |   | cannot be supplied       |
| 1.2  | 0.009.2566.0    | 4 | bush                     |
| 1.3  | 2.4019.563.1    | 2 | spring                   |
| 1.4  | 0.009.2562.0    | 1 | pin                      |
| 1.5  | 0.014.0432.0    | 2 | cap                      |
| 1.6  | 2.4019.564.1    | 1 | spring                   |
| 1.7  | 0.009.2565.0    | 1 | pin                      |
| 1.8  | 0.009.2561.0    | 1 | bush                     |
| 1.9  | 0.009.2564.0    | 1 | small plate              |
| 1.10 | 2.1480.012.1    | 2 | washer 6, d128           |
| 1.11 | 2.0312.102.2    | 2 | screw m 6 p.1 x 12       |
| 1.12 | 2.2810.005.0    | 1 | ball mm 8.731            |
| 1.13 | 2.4019.399.1    | 1 | spring                   |
| 1.14 | 2.1560.007.0    | 1 | gasket 12.2x16           |
| 1.15 | 2.3139.012.2/10 | 1 | plug                     |
| 1.16 | 2.1560.010.0    | 1 | gasket 14.2 x 20         |
| 1.17 | 2.3110.403.2    | 1 | plug m 14                |
| 1.18 | 2.1560.006.0    | 1 | gasket 10.2 x 16         |
| 1.19 | 2.3110.401.1    | 1 | plug                     |
| 2    | 2.0312.110.2    | 2 | screw                    |
| 3    | 2.1531.025.0    | 7 | oil seal 10.82x1.78      |
| 4    | 2.0312.108.2    | 2 | screw m 6 p.1 x 25       |
| 5    | 2.1560.010.0    | 5 | gasket 14.2 x 20         |
| 6    | 2.3199.237.2/10 | 1 | plug                     |
| 7    | 0.010.4495.0/10 | 1 | screw                    |
| 8    | 2.1531.007.0    | 1 | oil seal 4.48x1.78       |
| 9    | 2.1420.002.0    | 1 | circlip a 8              |
| 10   | 0.014.0202.3/10 | 1 | shaft                    |
| 10.2 | 2.1555.005.0    | 2 | bushing 10x12x10         |
| 11   | 2.1531.044.0    | 1 | oil seal 17.17x1.78      |
| 12   | 0.013.3268.0/10 | 1 | shaft                    |
| 13   | 2.1470.002.2    | 1 | lock washer 6            |
| 14   | 0.009.2579.3    | 1 | lever                    |
| 15   | 2.1720.002.0    | 3 | key                      |
| 16   | 0.009.2954.4    | 1 | valve                    |
| 17   | 0.014.3663.3    | 1 | tube                     |
| 18   | 2.3335.006.2    | 2 | pipe union m 14 p.1.5X26 |
| 19   | 2.0112.007.2    | 1 | screw m 6 p.1 x 20       |
| 20   | 0.014.0260.0/10 | 1 | lever                    |
| 21   | 2.1422.014.7    | 1 | circlip                  |

## Section: ACCESSORIES

**4-WAY AUXILIARY DISTRIBUTOR**

W9\_A5088\_15\_0\_0

| Fig. | P/n             | QTY | Name                              |
|------|-----------------|-----|-----------------------------------|
| 22   | 2.4019.258.1    | 1   | spring 7.8x25.5x0.9               |
| 23   | 2.2810.005.0    | 1   | ball mm 8.731                     |
| 24   | 0.013.5188.2/10 | 1   | lever                             |
| 25   | 2.1120.005.2    | 1   | nut m 8 p.1.25                    |
| 26   | 2.1529.165.0    | 1   | special oil seal 10 x 16          |
| 27   | 2.1480.012.2    | 4   | washer 6, d128                    |
| 28   | 2.3261.010.2    | 1   | pipe fitting m 18 p.1.5 - 7/8" 14 |
| 29   | 2.1560.014.0    | 1   | washer 18.2 x 24                  |

# Agrokid 30

Section: ACCESSORIES


Ref: 0E.00.15

## PIPES/HOSES FOR QUICK ACTION REAR COUPLERS

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

### Notes:

1158 <- X Agrokid 30 1171 <- X Agrokid 40 1278 <- X Agrokid 50 [Agrokid 30]



|                                     |                 |   |                               |
|-------------------------------------|-----------------|---|-------------------------------|
| 1                                   | 0.013.3056.3    | 1 | tube dx/rh/re                 |
| 2                                   | 0.013.3054.3    | 1 | tube dx/rh/re                 |
| 3                                   | 0.013.2990.3    | 1 | tube sx/lh/li                 |
| 4                                   | 0.013.2983.3    | 1 | tube sx/lh/li                 |
| 5                                   | 2.1560.008.0    | 6 | gasket 12.2 x 18              |
| 6                                   | 2.3261.004.2    | 2 | pipe fitting m 12 p.1.25-1/2" |
| 7                                   | 2.1019.093.2    | 4 | nut 1/2 - 20 UNF-2B           |
| 8                                   | 2.3339.614.2/20 | 4 | pipe fitting                  |
| 9                                   | 2.1560.054.0    | 4 | gasket 21 x 26                |
| 10                                  | 0.98308.50.3/10 | 4 | coupling                      |
| COMPONENT PARTS SEE COMPONENTS LIST |                 |   |                               |
|                                     |                 |   | ☞ 0.98308.50.3/10             |
| 11                                  | 0.013.7997.0    | 4 | plug                          |
| 12                                  | 2.0112.008.2    | 3 | screw m 6 p.1x22              |
| 13                                  | 0.013.3055.0    | 5 | plate                         |
| 14                                  | 2.1470.002.2    | 3 | lock washer 6                 |
| 15                                  | 2.1011.103.2    | 3 | nut m 6 p.1                   |
| 16                                  | 0.013.2991.0    | 1 | bracket                       |
| 17                                  | 0.013.3050.0    | 3 | bracket                       |
| 18                                  | 2.3332.003.2    | 2 | pipe union m 12 p.1.25 x 23   |

9\_A4888\_16\_0\_0

# Agrokid 30

Section: ACCESSORIES

Ref: 0E.00.16


## PIPES/HOSES FOR QUICK ACTION REAR COUPLERS

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

### Notes:

-> 1159 X Agrokid 30 -> 1172 X Agrokid 40 -> 1279 X Agrokid 50 [Agrokid 30]

|                                     |                 |   |                                |
|-------------------------------------|-----------------|---|--------------------------------|
| 1                                   | 0.013.9265.3    | 1 | tube                           |
| 2                                   | 0.013.9266.3    | 1 | tube                           |
| 3                                   | 2.1560.010.0    | 4 | gasket 14.2 x 20               |
| 4                                   | 2.3339.594.2/10 | 3 | pipe fitting m 14 p.1.5-3/4-16 |
| 5                                   | 2.1560.054.0    | 4 | gasket 21 x 26                 |
| 6                                   | 2.1410.015.1    | 8 | circlip 38x1.75                |
| 7                                   | 0.98309.50.3/10 | 4 | coupling                       |
| COMPONENT PARTS SEE COMPONENTS LIST |                 |   |                                |
| ☞ 0.98309.50.3/10                   |                 |   |                                |
| 8                                   | 0.013.7997.0    | 4 | plug                           |
| 9                                   | 2.0112.011.2    | 4 | screw m 6 p.1x30               |
| 10                                  | 0.013.3055.0    | 8 | plate                          |
| 11                                  | 0.013.9268.3    | 1 | bracket                        |
| 12                                  | 0.013.3060.0    | 4 | collar                         |
| 13                                  | 0.013.9269.3    | 1 | bracket                        |
| 14                                  | 2.3339.387.2    | 1 | pipe fitting m 14 p.1.5-3/4-16 |



W9\_A5088\_16\_0\_B

# Agrokid 30

Section: ACCESSORIES

Ref: 0E.00.23


## PIPES/HOSES FOR QUICK ACTION REAR COUPLERS - WITHOUT QUICK ACTION FRONT COUPLERS

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

### Notes:

-> 1159 X Agrokid 30 -> 1172 X Agrokid 40 -> 1279 X Agrokid 50 [Agrokid 30]

|   |                 |   |                  |
|---|-----------------|---|------------------|
| 1 | 0.013.9264.3/10 | 1 | tube             |
| 2 | 0.013.9263.3    | 1 | tube             |
| 3 | 2.1560.008.0    | 2 | gasket 12.2 x 18 |
| 4 | 2.3110.402.2    | 2 | plug m 12 p.1.5  |



W9\_A5088\_17\_0\_0

## Section: ACCESSORIES

**PIPES/HOSES FOR QUICK ACTION REAR COUPLERS - WITH QUICK ACTION FRONT COUPLERS**

| Fig. | P/n | QTY | Name |
|------|-----|-----|------|
|------|-----|-----|------|

**Notes:**

[Agrokid 30]

|   |                 |   |      |
|---|-----------------|---|------|
| 1 | 0.013.9629.3/10 | 1 | tube |
| 2 | 0.013.9628.3    | 1 | tube |

