



PARTS MANUAL

AGROKID 45 TRACTOR

PRINTED BY :
heavy-equipmentmanual.com

Agrokid 45

ACCESSORIES

GENERAL

4-WAY AUXILIARY DISTRIBUTOR.....	0E.00.3
4-WAY AUXILIARY DISTRIBUTOR.....	0E.00.4
HYDRAULIC DISTRIBUTOR-PARTS.....	0E.00.12
DISTRIBUTOR CONTROL.....	0E.00.19
3 POINT HITCH.....	0E.00.20
TOWING BAR.....	0E.00.27
REAR TOWING HITCH.....	0E.00.28
FRONT TOWING HITCH.....	0E.00.35
FRONT TOWING HITCH.....	0E.00.36
REAR OSCILLATING HITCH.....	0E.00.43
BALLAST.....	0E.00.44
BALLAST.....	0E.00.51
TOOL POUCH.....	0E.00.52
ENGAGEMENT.....	0.98308.50.3/10.A

Section: ACCESSORIES


4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[Agrokid 45]


1	2.1480.012.1	4	washer 6, d128
2	2.1530.025.0	7	oil seal 10.82x1.78
3	2.0312.108.2	4	screw m 6 p.1 x 25
4	2.1560.010.0	5	gasket 14.2 x 20
5	2.3199.237.2/10	1	plug
6	0.010.4495.0/10	1	screw B = mm 57 * 0017 <- X 25HP * 5018 <- X 25HP HYDRO * 0357 <- X 35HP * 0081 <- X 42HP - N.1 - 2.4019.258.1 - 2.2810.005.0
7	2.1531.007.0	1	oil seal 4.48x1.78
8	2.1420.002.0	1	circlip a 8
9	0.009.2573.3/30	1	shaft
10	2.1555.005.0	2	bushing 10x12x10
11	2.1530.035.0	1	oil seal 14.00x1.78
12	0.009.2574.2/10	1	pin
13	0.009.2578.3/10	1	lever
14	2.0112.011.2	1	screw m 6 p.1x30
15	2.1470.002.2	2	lock washer 6
16	0.009.2579.3	1	lever
17	2.1720.002.0	2	key
18	0.009.2577.3/10	1	tube
19	2.3335.006.2	2	pipe union m 14 p.1.5X26
20	2.0112.007.2	1	screw m 6 p.1 x 20
21	2.1599.711.0	1	shoulder ring 10x12.6x3
22	2.1531.021.0	1	oil seal 9.66x1.78
23	0.000.0000.1		cannot be supplied * N.1 - 010.4495.0/10 - 2.4019.258.1 - 2.2810.005.0
24	2.4019.258.1	1	spring 7.8x25.5x0.9 -> 0018 X 25HP -> 5019 X 25HP HYDRO -> 0358 X 35HP -> 0082 X 42HP
24	2.4019.597.1	1	spring 4.15x5.45x0.65 0017 <- X 25HP 5018 <- X 25HP HYDRO 0357 <- X 35HP 0081 <- X 42HP
25	0.000.0000.1		cannot be supplied



Section: ACCESSORIES

4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
26	0.009.2559.4/10	1	* N.1 - 010.4495.0/10 - 2.4019.258.1 - 2.2810.005.0 spool valve 0E.00.12
27	2.2810.005.0	1	ball mm 8.731



Section: ACCESSORIES


4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

(...) <- X 25HP - 35HP [Agrokid 45]


1	2.3339.280.1/10	4	pipe union m 14 p.1.5X42
2	2.1560.010.0	12	gasket 14.2 x 20
3	2.1579.092.2	4	spacer 14x22x13 - X 25HP - 35HP (...) <- X 42HP
3	2.1579.443.2/20	4	spacer 12.5x20x12 -> (...) X 42HP
4	0.007.6220.3	1	tube dx/rh/re - X 25HP - 35HP
4	0.007.7424.3	1	tube dx/rh/re 0009 <- X 42HP
4	0.007.7428.3	1	tube dx/rh/re 0009 <- FOR 42HP - FOR LOW TYPE
4	0.010.6696.3	1	tube -> 0010 X 42HP
4	0.010.6697.3	1	tube -> 0010 FOR 42HP - FOR LOW TYPE
5	0.007.6219.3	1	tube dx/rh/re - X 25HP - 35HP
5	0.007.7425.3	1	tube dx/rh/re 0009 <- X 42HP
5	0.007.7429.3	1	tube dx/rh/re 0009 <- FOR 42HP - FOR LOW TYPE
5	0.010.6696.3	1	tube -> 0010 FOR 42HP - FOR LOW TYPE
5	0.010.6697.3	1	tube -> 0010 X 42HP
6	0.007.6222.3	1	tube sx/lh/li - X 25HP - 35HP
6	0.007.7426.3	1	tube sx/lh/li 0043 <- X 42HP
6	0.007.7430.3	1	tube sx/lh/li 0043 <- FOR 42HP - FOR LOW TYPE
6	0.010.5485.3	1	tube -> 0044 X 42HP
7	0.007.6221.3	1	tube sx/lh/li - X 25HP - 35HP
7	0.007.7427.3	1	tube sx/lh/li 0043 <- X 42HP
7	0.007.7431.3	1	tube sx/lh/li 0043 <- FOR 42HP - FOR LOW TYPE



Section: ACCESSORIES

4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
7	0.010.5484.3	1	tube -> 0044 X 42HP
8	2.1019.093.2	4	nut 1/2 - 20 UNF-2B
9	0.009.6137.2/10	1	support - X 25HP - 35HP 0043 <- X 42HP
10	2.3339.614.2/10	4	pipe fitting
11	2.1560.054.0	4	gasket 21 x 26
12	0.98308.50.3/10	4	coupling 0.98308.50.3/10
13	0.98309.52.0/10	4	plug tm 12
14	0.200.8152.0	5	small plate
15	2.0112.009.2	2	screw m 6 p.1 x 25
16	2.1470.002.2	3	lock washer 6
17	2.1011.103.2	3	nut m 6 p.1
18	0.007.7145.3	1	support - X 25HP - 35HP
19	2.1579.120.0	2	spacer 8.8x12x9.5 (...) <-
20	2.6569.030.0	2	rubber plug (...) <-
21	2.1312.004.2	2	washer 8x24x2 (...) <-
22	2.1470.004.2	2	lock washer 8 (...) <-
23	2.0112.209.2	2	screw m 8 p 1.25 x 25 (...) <-
24	0.010.5636.0	1	cap-washer - X 42HP
25	2.1470.004.2	4	lock washer 8
26	2.1310.004.2	6	flat washer 8.4x17
27	2.1011.105.2	4	nut m 8 p.1.25
28	0.010.5512.3/10	1	support -> 0044 X 42HP



Section: ACCESSORIES


HYDRAULIC DISTRIBUTOR-PARTS

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[Agrokid 45]

1	0.009.2559.4/10	1	spool valve
2	0.009.2566.0	4	bush
3	2.4019.563.1	2	spring
4	0.009.2562.0	1	pin
5	0.009.2563.0	2	cap
6	2.4019.564.1	1	spring
7	0.009.2565.0	1	pin
8	0.009.2561.0	1	bush
9	0.009.2564.0	1	small plate
10	2.1480.012.1	2	washer 6, d128
11	2.0312.102.2	2	screw m 6 p.1 x 12
12	2.2810.005.0	1	ball mm 8.731
13	2.4019.399.1	1	spring
14	2.1560.008.0	1	gasket 12.2 x 18
15	2.3139.012.2/10	1	plug
16	2.3110.401.1	1	plug
17	2.1560.005.0	1	copper gasket 10.2 x 14
18	2.1560.010.0	1	gasket 14.2 x 20
19	0.009.3580.3	1	valve
20	0.000.0000.1		cannot be supplied




Section: ACCESSORIES
DISTRIBUTOR CONTROL

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[Agrokid 45]

1	0.009.3735.2	1	support
2	2.1472.005.2	2	washer 8
3	2.0112.207.2	2	screw m 8 p 1.25 x 20
4	0.009.3733.3	1	lever
5	0.007.7624.0/10	1	rod
			- X 42HP
5	0.009.3732.0/10	1	rod
			- X 25HP - 35HP
6	2.1430.007.7	4	circlip 6, d128
			- X 25HP - 35HP
6	2.1430.008.7	4	circlip 7
			- X 42HP
7	0.009.3734.3	1	lever
8	0.007.7623.0	1	rod
			- X 42HP
8	0.009.3731.0	1	rod
			- X 25HP - 35HP
9	2.1311.011.2	1	flat washer 18
10	2.1430.012.7	1	circlip 12
11	0.008.7392.0	2	grip




Section: ACCESSORIES

3 POINT HITCH

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[Agrokid 45]



1	2.1690.510.2	1	split pin 5x25
2	0.009.7998.4/10	1	adjustable tensioner dx/rh/re
3	0.009.7999.3	1	top link dx/rh/re
4	0.007.6070.3	1	special nut
5	0.007.6071.2/10	1	rod
6	0.007.6072.3/10	1	rod
7	2.3820.105.2	1	grease gun m 10 p.1 x 7
8	0.010.4690.4	1	adjustable tensioner sx/lh/li
9	0.010.4691.3	1	rod
10	0.010.4693.3	1	rod
11	2.3820.105.2	1	grease gun m 10 p.1 x 7
12	0.008.7640.2/10	1	pin
13	0.008.7615.4/10	2	stabiliser
14	2.1679.076.2	1	pin 14
15	0.96014.56.0	1	fork
16	0.008.7618.0/10	1	tensioner sx/lh/li
17	0.008.7616.2/10	1	sleeve
18	0.008.7617.0/10	1	tensioner dx/rh/re
19	2.1011.209.2	1	nut m 16 p.2
20	2.1690.510.2	1	split pin 5x25
21	2.0112.411.2	4	screw m 12 p.1.75 x 30 0022 <- X 25HP 5015 -> X 25HP HYDRO 0436 <- X 35HP 0090 <- X 42HP
21	2.0122.113.2	4	screw -> 0023 X 25HP -> 5016 X 25HP HYDRO -> 0437 X 35HP -> 0091 X 42HP
22	2.1310.007.2	4	flat washer 13 x 24
24	2.1679.034.0/10	1	pin 18x62x49
25	2.1699.053.0	3	roll pin m 4
26	0.009.1725.3	4	split pin
27	0.010.9692.0/10	1	shaft mm 602 * 0017 <- X 25HP * 5018 <- X 25HP HYDRO * 0410 <- X 35HP * 0081 <- X 42HP - N.2 010.9666.2
28	2.1669.050.2	1	pin 19x95

Section: ACCESSORIES

3 POINT HITCH




Fig.	P/n	QTY	Name
29	0.010.9322.4	4	pin Ø 11
30	2.0532.205.1	1	grub screw m 8 x 14
31	2.1599.627.0	6	shoulder ring 22.5 x 35 x 6
32	0.010.4570.0	1	spring
34	2.1472.005.2	2	washer 8
35	2.0112.205.2	2	screw m 8 p.1.25 x 16
36	2.1599.019.0	2	shoulder ring 19.5x31x2
37	2.1669.054.0	1	pin
38	2.1311.011.2	2	flat washer 18
39	2.1679.076.2	2	pin 14
40	0.010.4681.4/10	2	arm - X 25HP - 42HP * 0099 <- X 35HP - N.1 - 008.7619.0 - 2.1020.310.2
41	0.001.3041.3	2	pin
42	2.4049.111.2	1	spring
43	0.96018.13.4/10	1	3 point hitch
44	0.96018.13.3	1	sleeve
45	0.96014.57.0	1	wing nut m 27 p.3
46	0.96014.14.3	1	rod dx/rh/re
47	0.96014.15.3	1	rod sx/lh/li
48	2.1669.025.2	1	pin 19x115.5
49	0.010.9322.4	2	pin Ø 11
50	0.008.7588.0/10	1	bracket dx/rh/re = A 0020 <- X 25HP 5018 <- X 25HP HYDRO 0423 <- X 35HP 0088 <- X 42HP
50	0.008.7589.0/10	1	bracket sx/lh/li = A 0020 <- X 25HP 5018 <- X 25HP HYDRO 0423 <- X 35HP 0088 <- X 42HP
50	0.010.9666.2/10	2	bracket = B -> 0021 X 25HP -> 5019 X 25HP HYDRO -> 0424 X 35HP -> 0089 X 42HP
52	0.010.4268.3	1	bracket 0113 <- X 35HP
53	2.1310.006.2	2	flat washer 10.5x21