



PARTS MANUAL

AGROTRAC 130 TRACTOR


PRINTED BY :
heavy-equipmentmanual.com

Agrotrac 130

ACCESSORIES

GENERAL


4-WAY AUXILIARY DISTRIBUTOR.....	0E.00.0
CONTROLS FOR 4-WAY AUXILIARY SERVICES CONTROL VALVE.....	0E.00.5
6-WAY AUXILIARY DISTRIBUTOR.....	0E.00.6
6-WAY AUXILIARY DISTRIBUTOR.....	0E.00.11
CONTROLS FOR 6-WAY AUXILIARY SERVICES CONTROL VALVE.....	0E.00.12
3-POINT LINKAGE WITH AUTOMATIC COUPLERS.....	0E.00.23
TOWING BAR.....	0E.00.24
TOWING BAR.....	0E.00.29
FRONT TOWING HITCH.....	0E.00.30
REAR TOWING HITCH.....	0E.00.36
REAR OSCILLATING HITCH.....	0E.00.41
DRAWBAR COUPLING - MM 38 (CRAMER).....	0E.00.42
DRAWBAR COUPLING - MM 32 (CRAMER).....	0E.00.47
REAR TOWING HITCH (GRASSI) CEE.....	0E.00.48
FRONT WEIGHT CARRIER.....	0E.00.53
FRONT BALLAST n. 2.....	0E.00.54
FRONT BALLAST n. 4.....	0E.00.59
FRONT BALLAST n. 8.....	0E.00.60
WHEEL BALLAST.....	0E.00.65
WHEEL BALLAST.....	0E.00.66
WITHOUT TRAILER BRAKES.....	0E.00.71
HYDRAULIC BREAKING FOR TRAILER.....	0E.00.77
LUBRICATOR.....	0E.00.78
TOOL POUCH.....	0E.00.83
DRAWBAR COUPLING CRAMER.....	0.009.3298.4/30.A
TOWING HITCH.....	0.010.1703.3.A
AUTOMATIC LATERAL STABILIZERS.....	0.010.5222.4/30.A
ADJUSTABLE LIFT ROD PARTS.....	0.011.3996.3.A
REAR TOWING HITCH (GRASSI) CEE.....	0.011.7232.4/10.A
DRAWBAR COUPLING.....	0.014.4466.4.A
ENGAGEMENT.....	0.98309.50.3/10.A
VALVE PARTS.....	2.3719.160.0.A
DISTRIBUTOR PARTS.....	2.3729.650.0/10.A
DISTRIBUTOR PARTS.....	2.3729.660.0.A
DISTRIBUTOR.....	2.3729.680.0.A



Section: ACCESSORIES

4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
Notes:			
[Agrotrac 130]			
9	2.1560.055.0	2	gasket 27.3x31.9
10	2.3110.424.2	2	plug m27x2
11	2.1671.305.2	4	pin 8x22
12	2.1310.004.2	4	flat washer 8.4x17
13	2.1690.205.2	4	split pin 2x12
17	2.1012.305.7	3	nut m 8 p.1 x 8
19	0.98269.54.2	1	bracket
20	2.1475.102.2	3	washer 8.4 x 16
21	2.0112.311.2	2	screw m 10 p.1.5 x 30
22	0.98203.52.0	4	bushing
23	0.98269.46.3/30	1	shaft
24	0.012.6076.3	1	pin
25	0.98269.67.0	2	rod
26	2.1630.210.9	3	pin 3 x 20
27	2.1579.772.2	3	spacer 9x12x7.5
28	0.98272.50.0	1	lever
29	0.98269.55.0/20	1	lever
30	2.1630.511.0	2	roll pin 5x24
31	0.011.8196.0	1	bracket
32	2.0433.030.7	3	stud bolt m 8 p.1x150
33	2.1470.006.2	2	lock washer 10
34	2.3729.680.0	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.680.0
35	2.3729.660.0	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.660.0
36	2.3729.650.0/10	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.650.0/10
37	0.98269.60.3/20	2	tube
38	0.98269.59.3/20	2	tube
39	2.1560.054.0	4	gasket 21 x 26
40	2.1410.015.1	8	circlip 38x1.75
41	0.98269.58.2/20	1	plate
42	2.1560.018.0	4	gasket 22.2 x 29
43	0.98269.68.0	2	rod
54	2.3339.223.2	2	pipe fitting
55	2.3339.760.2/10	2	pipe fitting 3/4"-16j/m 22p.1.5
57	0.98309.50.3/10	4	coupling
			COMPONENT PARTS SEE COMPONENTS LIST



Agrotac 130

Section: ACCESSORIES

Ref: 0E.00.0

4-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
			0.98309.50.3/10
58	0.98309.52.0/10	4	plug tm 12
59	0.012.9144.3	1	tube
60	0.012.9145.3	1	tube
65	0.013.0061.4	2	small plate



CONTROLS FOR 4-WAY AUXILIARY SERVICES CONTROL VALVE

Fig.	P/n	QTY	Name
Notes:			
[Agrotrac 130]			
1	0.98269.40.2/30	1	lever
2	0.012.6069.2	1	lever
3	0.98203.59.0	2	knob
4	2.0322.405.6	1	screw m 6 x 14
5	0.98269.53.2	1	pin
6	2.1470.002.2	1	lock washer 6
7	2.0112.007.2	1	screw m 6 p.1 x 20
8	2.1599.471.0	2	shoulder ring
9	2.1579.732.2	1	spacer
10	0.98269.43.3/20	1	rod
11	2.1671.305.2	6	pin 8x22
12	2.1310.004.2	2	flat washer 8.4x17
13	2.1690.206.2	2	split pin A2x15
14	0.264.8267.0/10	2	cap
15	2.3199.094.0/10	2	plug
16	2.1011.105.2	2	nut m 8 p.1.25
17	0.012.6073.3/10	1	rod
18	2.3510.014.2	2	fork m 8x32
20	2.1470.004.2	4	lock washer 8
44	2.1559.119.0	2	special bushing
45	0.98269.63.0/20	1	plate
46	2.0112.204.2	4	screw m 8 p.1.25x14
47	0.98269.64.0/20	1	plate
48	0.98269.69.0	1	guard
49	2.1690.205.2	4	split pin 2x12
51	2.4019.322.1	2	spring
52	2.2810.003.0	2	ball mm 7.144
56	2.1311.008.2	1	flat washer 12
57	2.1673.007.2	1	pin m 8x32



Section: ACCESSORIES


6-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
Notes:			
[Agrotrac 130]			
9	2.1560.055.0	2	gasket 27.3x31.9
10	2.3110.424.2	2	plug m27x2
11	2.1671.305.2	4	pin 8x22
12	2.1310.004.2	4	flat washer 8.4x17
13	2.1690.205.2	4	split pin 2x12
17	2.1012.305.7	3	nut m 8 p.1 x 8
19	0.98269.54.2	1	bracket
20	2.1475.102.2	3	washer 8.4 x 16
21	2.0112.311.2	2	screw m 10 p.1.5 x 30
22	0.98203.52.0	4	bushing
23	0.98269.46.3/30	1	shaft
24	0.012.6076.3	1	pin
25	0.98269.67.0	2	rod
26	2.1630.210.9	3	pin 3 x 20
27	2.1579.772.2	3	spacer 9x12x7.5
28	0.98272.50.0	1	lever
29	0.98269.55.0/20	1	lever
30	2.1630.511.0	2	roll pin 5x24
33	2.1470.006.2	2	lock washer 10
34	2.3729.680.0	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.680.0
35	2.3729.660.0	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.660.0
36	2.3729.650.0/10	1	spool valve
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 2.3729.650.0/10
37	0.98269.60.3/20	2	tube
38	0.98269.59.3/20	2	tube
39	2.1560.054.0	4	gasket 21 x 26
40	2.1410.015.1	8	circlip 38x1.75
41	0.98269.58.2/20	1	plate
42	2.1560.018.0	4	gasket 22.2 x 29
43	0.98269.68.0	2	rod
54	2.3339.223.2	2	pipe fitting
55	2.3339.760.2/10	2	pipe fitting 3/4"-16j/m 22p.1.5
57	0.98309.50.3/10	4	coupling
			COMPONENT PARTS SEE COMPONENTS LIST
			☞ 0.98309.50.3/10
58	0.98309.52.0/10	4	plug tm 12

Section: ACCESSORIES

6-WAY AUXILIARY DISTRIBUTOR

Fig.	P/n	QTY	Name
59	0.012.9147.3	1	tube
60	0.012.9148.3	1	tube
65	0.013.0061.4	2	small plate



Section: ACCESSORIES

6-WAY AUXILIARY DISTRIBUTOR

9_79888_26_0_0




Fig.	P/n	QTY	Name
Notes:			
[Agrotrac 130]			
7	2.1671.305.2	2	pin 8x22
8	2.1310.004.2	2	flat washer 8.4x17
9	2.1690.206.2	2	split pin A2x15
13	0.012.6077.3	1	pin
14	2.1630.210.9	2	pin 3 x 20
15	0.98203.52.0	2	bushing
16	2.1630.511.0	1	roll pin 5x24
17	0.98269.55.0/20	1	lever
18	2.0433.034.7	3	stud bolt m 8 p.1x190
19	2.1410.015.1	4	circlip 38x1.75
21	2.1560.054.0	2	gasket 21 x 26
22	0.98269.67.0	2	rod
23	0.98269.59.3/20	1	tube
24	0.98270.54.3/20	1	tube
25	0.011.8191.0	1	bracket
26	2.1560.018.0	2	gasket 22.2 x 29
27	2.3339.223.2	1	pipe fitting
28	2.3339.760.2/10	1	pipe fitting 3/4"-16j/m 22p.1.5
30	2.3729.680.0	1	spool valve
COMPONENT PARTS SEE COMPONENTS LIST			
☞ 2.3729.680.0			
32	0.98309.50.3/10	2	coupling
COMPONENT PARTS SEE COMPONENTS LIST			
☞ 0.98309.50.3/10			
33	0.98309.52.0/10	2	plug tm 12
65	0.013.0061.4	1	small plate


CONTROLS FOR 6-WAY AUXILIARY SERVICES CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------


Notes:

[Agrotrac 130]

1	0.012.6067.2	1	lever
2	2.1579.299.2	1	spacer
3	0.98203.59.0	1	knob
4	2.0322.405.6	1	screw m 6 x 14
5	2.1599.471.0	1	shoulder ring
6	0.012.6072.3	1	rod
7	2.1671.305.2	1	pin 8x22
8	2.1310.004.2	1	flat washer 8.4x17
9	2.1690.206.2	1	split pin A2x15
10	0.264.8267.0/10	1	cap
11	2.1011.105.2	1	nut m 8 p.1.25
12	2.3510.014.2	1	fork m 8x32
31	2.1559.119.0	1	special bushing
32	2.1673.007.2	1	pin m 8x32



9_79888_27_0_0



Agrotac 130

Section: ACCESSORIES

Ref: 0E.00.23

3-POINT LINKAGE WITH AUTOMATIC COUPLERS

Fig.	P/n	QTY	Name
Notes:			
[Agrotac 130]			
1	0.760.3856.3/10	1	stop
2	0.760.2212.0	1	piston pin
3	0.96081.52.0/10	2	shoulder ring
4	0.96081.53.0	2	shoulder ring
5	0.760.2257.3	1	pin
7	0.010.5222.4/30	2	stabiliser
COMPONENT PARTS SEE COMPONENTS LIST			
☞ 0.010.5222.4/30			
8	2.0112.613.2	2	screw m 16 p.2x35
9	2.0112.617.2	4	screw m 16 p.2x45
11	2.1011.310.2	8	nut m 18 p.1.5
12	2.1021.209.2	1	castellated nut m 20 p.1.5
13	2.1470.009.2	6	lock washer 16
14	0.010.6427.0	1	bracket sx/lh/li
15	0.010.6426.0	1	bracket dx/rh/re
16	0.760.3810.0/50	1	flange
20	0.760.3820.3/70	1	right hand arm dx/rh/re
20.3	0.010.1703.3	1	automatic hook
COMPONENT PARTS SEE COMPONENTS LIST			
☞ 0.010.1703.3			
21	0.010.4798.4/10	2	adjustable tensioner
21.1	0.010.4789.3/10	1	rod
21.2	2.3820.105.2	1	grease gun m 10 p.1 x 7
21.3	0.010.4797.2/10	1	sleeve
21.4	0.010.4008.2	1	tube
21.5	0.010.4009.3/10	1	rod
23	0.011.3995.4/10	1	top link 3 cat.- WALTERSCHEID
23.1	0.011.3995.3	1	sleeve
23.2	0.011.3996.3	1	rod 3 cat.- WALTERSCHEID
COMPONENT PARTS SEE COMPONENTS LIST			
☞ 0.011.3996.3			
23.3	0.96081.15.3/20	1	rod sx/lh/li
23.4	0.96081.16.0	1	wing nut
23.5	2.3820.105.2	1	grease gun m 10 p.1 x 7
24	0.009.3144.2/10	2	pin
28	2.1690.413.2	2	split pin 4 x 36
29	0.010.9322.4	2	pin Ø 11
30	0.760.2258.3	1	cord
31	0.760.3954.0	2	cap 3 cat.
32	0.760.3953.3	2	pin 3 cat.
33	0.760.3821.3/70	1	left hand arm sx/lh/li