



PARTS MANUAL

DX 6 .30 TRACTOR

PRINTED BY :
heavy-equipmentmanual.com

DX 6 .30

BRAKE

Control assy./service brake, Parking brake

HAND BRAKE.....	13.29.0
OPERATION - PARKING BRAKE.....	13.29.1

Service brake, Contral assy./service brake

SERVICE BRAKE DISC BRAKE.....	13.30.0
SERVICE BRAKE DISC BRAKE ON CARDAN SHAFT.....	13.30.3
OPERATION - SERVICE BRAKE - MAIN CYLINDER.....	13.30.4
OPERATION - SERVICE BRAKE - LINES.....	13.30.5
OPERATION - SUSTAINED-ACTION SERVICE BRAKE - LINES.....	13.30.6
OPERATION - SUSTAINED-ACTION SERVICE BRAKE - LINES.....	13.30.7
OPERATION - SUSTAINED-ACTION SERVICE BRAKE - LINES.....	13.30.9

Pneumatic system

COMPRESSED-AIR UNIT.....	13.55.6
COMPRESSED-AIR UNIT.....	13.55.7
COMPRESSED-AIR UNIT.....	13.55.13
COMPRESSED-AIR UNIT SUSTAINED-ACTION BRAKE.....	13.55.14
COMPRESSED-AIR UNIT.....	13.55.15
COMPRESSED-AIR UNIT.....	13.55.16
COMPRESSED-AIR UNIT SUSTAINED-ACTION BRAKE.....	13.55.17
COMPRESSED-AIR UNIT.....	13.55.18
TRAILER SOCKET-OUTLET VALVE.....	02382049.4.A


Hydr. brake for trailer

HYDRAULIC BRAKE FOR TRAILER.....	13.56.1
----------------------------------	---------

**DEUTZ
FAHR** FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM.

1405-29 504 1346

7



Section: BRAKE
HAND BRAKE

DX 6 .30

Ref: 13.29.0

Fig.	P/n	QTY	Name
Notes: [DX 6 .30]			
2	04313463	1	lever LEFT
3	04313468	1	lever RIGHTS
6	04357790	12	screw
12	02386814	1	shaft
13	02386813	1	bushing
14	01169764	2	rubber plug H 002927- 22 X 2 -NBR-1-70
15	02386815	1	washer
16	01107730	1	ring 20 x 1.2, d471 DIN 000471- 20X1,2
17	02386817	2	spring
20	04378793	2	brake shoe
22	04324306	1	plate
41	04313624	2	brake disc

OPERATION - PARKING BRAKE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:


[DX 6 .30]

DEUTZ FAHR

BETÄTIGUNG	FESTSTELLBREMSE
CONTROL ASSEMBLY	PARKING BRAKE
CDE D'ACTIONEM	FREIN D'ARRET
ACCIONAMIENTO	FRENO ESTACIONAM

1036 - 29 504 4656

2



1	04337802	1	shaft
2	04337681	1	brake lever
3	04337688	1	brake lever
4	04338791	1	plate
6	04346709	2	rod
7	04313482	2	rod
8	04313486	2	tensioner
9	04313480	2	ring
10	01113153	2	nut
			DIN 000936-M12 -17H-A4C
11	01171734	3	screw
			H 002093- 7985-M 6X 16 -4.8 - H
12	01107110	4	washer 13.5
			DIN 000125-A13 -140HV-A4C
13	03387776	4	pin
14	01102527	2	pin
			ISO 008752-10 X 50
15	01115461	2	roll pin
			ISO 008752- 6 X 50
16	01172606	2	oil seal
			H 002940-AS 30X 40 X 7 -NI
17	01107138	2	washer 31x56x5 d125
			DIN 000125-B31 -140HV-A4C
18	01110577	1	screw m 8 x 25
			DIN 000912- M 8 X 25 - 8.8-A4 C
19	01119611	1	ring
			DIN 007980- 8-FST-A4C
20	01175724	1	key-pin
			H 002205-L12 -FE/ZN12CC
24	01115486	2	pin
			ISO 008752-10 X 24
31	04359013	1	lever
32	04360539	1	cover
33	04359120	1	tube
34	04347832	1	support
35	04360702	1	ratchet
			ON FIRST REPLACEMENT
			SUPPLY WITH ITEM....
			38+40

OPERATION - PARKING BRAKE

Fig.	P/n	QTY	Name
36	02320979	1	spring
37	04351614	1	bracket
38	04360703	1	pin
			ON FIRST REPLACEMENT SUPPLY WITH ITEM.... 35+40
40	01176237	1	guard H 002205-L 8 -FE/ZN12CC
41	01122674	1	pin ISO 008752- 5 X 18
42	02320982	1	spring
43	04360706	1	pin
44	02324608	1	bush
45	01115435	2	pin ISO 008752- 5 X 24
46	01115416	2	pin ISO 008752- 4 X 14
47	04351481	1	switch
50	04380213	1	small shaft
51	04380216	1	small shaft 288 MM
52	04348993	1	spacer
54	02315435	1	bush
55	01133187	1	screw DIN 000933-M 8 X 40 SB- 8.8-A 4C
56	01102800	3	washer 10.2 DIN 000128-A 10 -FST -A4C
57	01112429	4	screw m 10 x 30, d933 DIN 000933-M10 X 30 - 8.8-A4C
58	04360537	1	console
59	04344469	1	ring
61	04380215	1	small shaft 252 MM




BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONEM
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM

1036 - 29 504 4656

2



Section: BRAKE


SERVICE BRAKE DISC BRAKE


Fig.	P/n	QTY	Name
Notes: [DX 6 .30]			
1	04313624	2	brake disc
2	04315410	4	console
3	04377898	1	brake shoe BOTTOM RIGHT
4	04377899	1	brake shoe BOTTOM LEFT
5	04377900	1	brake shoe TOP RIGHT
6	04377901	1	brake shoe TOP LEFT
11	04311581	4	screw
12	04311582	4	screw
13	04311579	4	screw
14	04311580	4	screw
15	01161794	2	oil seal H 002927- 45 X 3 -NBR-1-70
16	04314050	2	cover
17	01143292	2	screw m12x1,5 d906 DIN 000906-M12X1,5-ST-A4C
18	01161245	2	circlip H 002272- 52X2
20	04314957	1	shim OPTION ITEM... 2,3 MM 950-964
22	04347701	1	valve
23	04322923	2	circlip
25	04317239	1	valve
31	04349607	1	accessories FOR 4 FIXED YOKE
32	04377345	1	sub-assy parts 1 FIXED YOKE
34	04338428	1	sub-assy parts 1 FIXED YOKE
35	04342578	1	sub-assy parts 1 FIXED YOKE
45	04314986	1	plate
46	04342576	2	plate
950	04314958	1	shim 2.4 MM
951	04314959	1	shim

**DEUTZ
FAHR**

BETRIEBSBREMSE
SERVICE BRAKE
FREIN DE ROUTE
FRENO DE SERVICIO

SCHEIBENBREMSE
DISC BRAKE
FREIN A DISQUE
FRENO DE DISCO

1405-30 504 1347



Section: BRAKE

SERVICE BRAKE DISC BRAKE


Fig.	P/n	QTY	Name
952	04314960	1	2.5 MM shim
953	04314961	1	2.6 MM shim
954	04314962	1	2.7 MM shim
955	04314963	1	2.8 MM shim
956	04314964	1	2.9 MM shim
957	04314965	1	3.0 MM shim
958	04314966	1	3.1 MM shim
959	04314967	1	3.2 MM shim
960	04314968	1	3.3 MM shim
961	04314969	1	3.4 MM shim
962	04314970	1	3.5 MM shim
963	04314971	1	3.6 MM shim
964	04314972	1	3.7 MM shim
			3.8 MM



BETRIEBSBREMSE
OPERATING BRAKE
FREIN DE ROUTE
FRENO DE RODADURA

SCHEIBENBREMSE AUF GELENKWELLE
DISC BRAKE ON JOINT SHAFT
FREIN A DISQUE SUR ARBRE A CARDAN
FRENO DE DISCO SOBRE ARBOL ARTICUL.

1405-30 504 1350



6.10	7437/ 6323
6.30	7439/ 6744
6.50	7441/ 6397

DX 6 .30

Section: BRAKE

Ref: 13.30.3

SERVICE BRAKE DISC BRAKE ON CARDAN SHAFT

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[DX 6 .30]

2	04344804	1	brake disc
3	04377283	1	brake shoe
4	04311581	1	screw
5	04311582	1	screw
6	01270105	1	valve
7	04377345	1	sub-assy parts
8	04350838	1	accessories
9	04338428	1	sub-assy parts
10	04379050	1	brake disc
11	01143188	1	screw
			DIN 000912- M16X1,5 X 60 -10.
			9
12	04370480	1	screw
13	04314986	1	plate
14	04380549	1	tube
15	01100769	2	screw
			DIN 074233-ESM 12X1 -A4C

DX 6 .30

Section: BRAKE


Ref: 13.30.4

OPERATION - SERVICE BRAKE - MAIN CYLINDER

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[DX 6 .30]



1	01100769	2	screw DIN 074233-ESM 12X1 -A4C
2	04364617	1	container FROM FIRST REPLACEMENT UNTIL CHASSIS-AXLE-GEARBOX- SUPPLY WITH NO.ITEM.. 150+151+436 4588,430 8195, 434 8634+112 1432
3	04314109	1	flexible hose
4	04305837	1	pipe fitting 6, d128
5	04305838	1	plug
6	04305839	1	plug
7	04314052	1	square
8	01129104	2	screw m 6 p.1.0 x 16 DIN 000933-M 6 X 16 SB- 8.8-A 4C
9	01126726	1	spring disc b6 d137 DIN 000137-B 6-FST-A4C
10	01112307	1	screw m 8 p.1.25 x 15, d933 ISO 004017-M 8 X 16 - 8.8-A4C
11	04312531	1	hood ROUND 68 MM
12	04314055	1	container
13	04311150	1	valve
14	02317786	1	switch
15	01107101	1	washer 8.4 DIN 000125-A 8,4-140HV-A4C
16	01112824	1	nut m 8, d934 ISO 004032-M 8 - 8-A4C
17	04336162	1	pipng
18	04336166	1	pipng
19	04336168	1	pipng
21	04378300	3	shim
51	00000000	-	-
52	00000000	-	-
53	00000000	-	-
54	00000000	-	-
55	00000000	-	-
56	00000000	-	-
57	00000000	-	-


OPERATION - SERVICE BRAKE - MAIN CYLINDER

Fig.	P/n	QTY	Name
71	04355447	1	pedal
72	04327268	1	pedal
73	04382436	2	cylinder
74	02389277	2	tube
75	04336161	1	stop
76	02386821	2	ball joint
77	01113158	2	nut m12x1,5 d936
79	01129113	4	screw m 8 x 30 DIN 000933-M 8 X 30 SB- 8.8-A 4C
80	01102799	6	washer 8, d128 DIN 000128-A 8 -FST -A4C
81	01112307	2	screw m 8 p.1.25 x 15, d933 ISO 004017-M 8 X 16 - 8.8-A4C
82	01235354	2	brace
83	01107740	1	circlip DIN 000471- 28X1,5
84	01162418	1	washer H 002308-29 X44X2 -A4C
85	01114714	2	pin DIN 001434-12F 8X 35X 30 -ST5 0-2-ZNPHRF
86	01107110	2	washer 13.5 DIN 000125-A13 -140HV-A4C
87	02386782	1	pin
88	01171750	1	pin H 002498-1470- 8 X 90
91	01175723	2	split pin H 002470-A12X4 -FE/ZN12CC
92	04321200	2	bracket
93	04323349	2	spring
102	04364849	1	valve
103	04311138	1	screw
104	04302955	2	bushing
105	04382941	1	sub-assy parts TO ITEM... 73
110	04382438	2	cylinder WITH MODEL WITH ...BRAKE 3
111	04382943	1	sub-assy parts WITH MODEL WITH ...BRAKE 3