



PARTS MANUAL

DXAB 160 TRACTOR

PRINTED BY :
heavy-equipmentmanual.com

DXab 160

BRAKE

Control assy./service brake, Parking brake

OPERATION - P.T.O. SHAFT - REAR.....	13.29.3
OPERATION - P.T.O. SHAFT - REAR.....	13.29.4
OPERATION - PARKING BRAKE.....	13.29.13
OPERATION - PARKING BRAKE.....	13.29.14

Service brake, Contral assy./service brake

OPERATION - P.T.O. SHAFT - REAR.....	13.30.11
OPERATION - P.T.O. SHAFT - REAR.....	13.30.12
SLAVE CYLINDER.....	13.30.13
SERVICE BRAKE.....	13.30.14
SERVICE BRAKE.....	13.30.15

Pneumatic system

COMPRESSED-AIR UNIT.....	13.55.9
COMPRESSED-AIR UNIT.....	13.55.10
COMPRESSED-AIR UNIT.....	13.55.11
COMPRESSED-AIR UNIT.....	13.55.24
COMPRESSED-AIR UNIT.....	13.55.25
COMPRESSED-AIR UNIT.....	13.55.26

Hydr. brake for trailer

HYDR. BRAKE.....	13.56.3
HYDR. BRAKE.....	13.56.7


OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:
[DXab 160]


1	04304326	1	shaft
3	04324314	1	lever
4	04306305	1	brake lever
5	04306307	1	lever
6	04304329	1	pin
7	02388318	1	ring
8	04304310	1	ring
9	04306304	1	lever
10	01120915	2	ball joint 10 x 40 DIN 071752- G10X40 -A4C
11	04304309	2	rod
12	02388332	2	ring
13	02383790	4	ring
14	01115506	2	pin ISO 008752-13 X 60
15	01102659	6	nut m 10, d934 DIN 000934-M10 - 8-A4C
16	01117930	1	washer DIN 006799- 9
17	01107755	1	ring 40 x 1,75, d471 DIN 000471- 40X1,75
18	01166051	2	oil seal H 002927- 35 X 3 -NBR-1-60
19	01168229	1	pipe fitting H 003360-SC 8
20	01124812	4	screw DIN 000931- M14 X130 - 8.8-A4 C
21	01169672	4	washer H 000995-14,5X28X 6- 8.8
22	01112326	3	screw m 8 x 22 ISO 004017-M 8 X 22 - 8.8-A4C
23	01107101	3	washer 8.4 DIN 000125-A 8,4-140HV-A4C
24	01114665	2	pin DIN 001434-10F 8X 30X 25 -ST5 0-2-ZNPHRF
25	01107105	2	washer 10.5 DIN 000125-A10,5-140HV-A4C
26	01132623	2	split pin DIN 000094- 3,2X 18-ST-A4C

DEUTZ FAHR BETÄTIGUNG CONTROL ASSEMBLY CDE D'ACTIONNEM ACCIONAMIENTO FESTSTELLBREMSE PARKING BRAKE FREIN D'ARRET FRENO ESTACIONAM EINFACH-SCHEIBENBREMSE SINGLE DISC BRAKE FREIN MONO DISQUE FRENO DE DISCOS SIMPLE 1027-29 503 6357




OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
27	04302981	1	support
28	04313956	1	plate
29	01171734	4	screw H 002093- 7985-M 6X 16 -4.8 - H
30	01115480	2	pin ISO 008752- 8 X 60
31	04324313	1	handbrake lever BESTEHEND AUS POS..... 43-59
43	04306345	1	console
44	02320979	1	spring
45	02320980	1	ratchet
46	01104443	1	pin DIN 001434- 8F 8X 45X 42 -ST5 0-2-A4C
47	02320978	1	support
48	01106407	1	split pin DIN 000094- 2 X 14-ST-A4C
49	01107548	1	washer 8.4 DIN 000433- 8,4-140HV-A4C
51	02324608	1	bush
52	01122674	1	pin ISO 008752- 5 X 18
53	02320982	1	spring
54	04360706	1	pin
55	01115435	2	pin ISO 008752- 5 X 24
56	01115416	2	pin ISO 008752- 4 X 14
58	04313957	1	cover
59	04324314	1	lever
62	04306296	1	bush
63	04306295	1	bush




OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
Notes:			
[DXab 160]			
1	02383750	1	shaft
2	04302985	1	brake lever
3	04302986	1	brake lever
5	02388318	2	ring
6	04303779	2	ball joint
9	04302981	1	support
10	02383790	4	ring
11	01166051	2	oil seal
			H 002927- 35 X 3 -NBR-1-60
12	01115506	2	pin
			ISO 008752-13 X 60
13	01112870	2	nut
			DIN 000934-M12 X1,5 -10
14	01107562	2	washer 21.2
			DIN 000433-21 -140HV-A4C
15	01122071	2	split pin
			DIN 000094- 5 X 28-ST-A4C
19	01117930	2	washer
			DIN 006799- 9
20	01124812	4	screw
			DIN 000931- M14 X130 - 8.8-A4 C
21	01169672	4	washer
			H 000995-14,5X28X 6- 8.8
22	01112326	3	screw m 8 x 22
			ISO 004017-M 8 X 22 - 8.8-A4C
23	01107101	3	washer 8.4
			DIN 000125-A 8,4-140HV-A4C
24	04313956	1	plate
25	01171734	4	screw
			H 002093- 7985-M 6X 16 -4.8 - H
26	04314020	2	rod
27	01136459	2	stop vm12x1,5
			DIN 000980-VM12X1,5 - 8-A4C G
			EWACHST
28	01115480	2	pin
			ISO 008752- 8 X 60
29	04324313	1	handbrake lever
			BESTEHEND AUS POS.....
			33-49



OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
33	04306345	1	console
34	02320979	1	spring
35	02320980	1	ratchet
36	01104443	1	pin DIN 001434- 8F 8X 45X 42 -ST5 0-2-A4C
37	02320978	1	support
38	01106407	1	split pin DIN 000094- 2 X 14-ST-A4C
39	01107548	1	washer 8.4 DIN 000433- 8,4-140HV-A4C
41	02324608	1	bush
42	01122674	1	pin ISO 008752- 5 X 18
43	02320982	1	spring
44	04360706	1	pin
45	01115435	2	pin ISO 008752- 5 X 24
46	01115416	2	pin ISO 008752- 4 X 14
48	04313957	1	cover
49	04324314	1	lever



Section: BRAKE

OPERATION - PARKING BRAKE

Fig.	P/n	QTY	Name
Notes:			
[DXab 160]			
1	04304326	1	shaft
2	04372761	1	handbrake lever BESTEHEND AUS POS.....
3	04306308	1	lever
4	04306305	1	brake lever
5	04306307	1	lever
6	04304329	1	pin
7	02388318	1	ring
8	04304310	1	ring
9	04306304	1	lever
10	01120915	2	ball joint 10 x 40 DIN 071752- G10X40 -A4C
11	04304309	2	rod
12	02388332	2	ring
13	02383790	4	ring
14	01115506	2	pin ISO 008752-13 X 60
15	01102659	6	nut m 10, d934 DIN 000934-M10 - 8-A4C
16	01117930	1	washer DIN 006799- 9
17	01107755	1	ring 40 x 1,75, d471 DIN 000471- 40X1,75
18	01166051	2	oil seal H 002927- 35 X 3 -NBR-1-60
19	01168229	1	pipe fitting H 003360-SC 8
20	01124812	4	screw DIN 000931- M14 X130 - 8.8-A4 C
21	01174739	4	washer H 000995-14,5X28X 6- 8.8 -A4C
22	01112322	3	screw m 8 p.1.25 x 20 ISO 004017-M 8 X 20 - 8.8-A4C
23	01107101	3	washer 8.4 DIN 000125-A 8,4-140HV-A4C
24	01138725	2	pin ISO 002341-B 10F 8X 30 -ST50- 2-A4C
25	01107105	2	washer 10.5 DIN 000125-A10,5-140HV-A4C

DEUTZ
FAHR


BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM

EINFACH-SCHEIBENBREMSE
SINGLE DISC BRAKE
FREIN MONO DISQUE
FRENO DE DISCOS SIMPLE

1027-29 504 1369

7442 0001
7443/0001



Section: BRAKE

OPERATION - PARKING BRAKE

DEUTZ
FAHR

BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM

EINFACH-SCHEIBENBREMSE
SINGLE DISC BRAKE
FREIN MONO DISQUE
FRENO DE DISCOS SIMPLE

7442 0001
7443/0001

1027-29 504 1369




Fig.	P/n	QTY	Name
26	01132623	2	split pin DIN 000094- 3,2X 18-ST-A4C
27	04302981	1	support UP TO CHASSIS-NO. FROM CHASSIS- FRAME NO....ITEM ... B004, FROM CHASSIS NO. ITEM. 50
28	04313956	1	plate
29	01171734	4	screw H 002093- 7985-M 6X 16 -4.8 - H
30	01115480	2	pin ISO 008752- 8 X 60
31	04345400	1	lever
32	04351481	1	switch
33	04306345	1	console UP TO CHASSIS-NO. FROM CHASSIS- FRAME NO....ITEM ... B004, FROM CHASSIS NO. ITEM. 51
34	02320979	1	spring
35	02320980	1	ratchet
36	01137603	1	pin ISO 002341-B 8F 8X 45 -ST50-2 -A4C
37	04347832	1	support
38	01106407	1	split pin DIN 000094- 2 X 14-ST-A4C
39	01107548	1	washer 8.4 DIN 000433- 8,4-140HV-A4C
40	04344843	1	cover
41	02324608	1	bush
42	01122674	1	pin ISO 008752- 5 X 18
43	02320982	1	spring
44	04360706	1	pin
45	01115435	2	pin ISO 008752- 5 X 24
46	01115416	2	pin ISO 008752- 4 X 14
50	04351667	1	support
51	04351670	1	console
62	04306296	1	bush
63	04306295	1	bush




BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM

DOPPEL - SCHEIBENBREMSE
DOUBLE DISC BRAKE
FREIN BI DISQUE
FRENO DE DISCO DOBLE

1027-29 504 1373

7442/0001
7443/0001



Section: BRAKE

OPERATION - PARKING BRAKE

Fig.	P/n	QTY	Name
Notes: [DXab 160]			
1	02383750	1	shaft
2	04302985	1	brake lever LEFT
3	04302986	1	brake lever RIGHTS
4	02388318	2	ring
5	04303779	2	ball joint
6	04302981	1	support UP TO CHASSIS-NO. FROM CHASSIS- FRAME NO....ITEM ... B004, FROM CHASSIS NO. ITEM. 50
7	02383790	4	ring
8	01166051	2	oil seal H 002927- 35 X 3 -NBR-1-60
9	01115506	2	pin ISO 008752-13 X 60
10	01112870	2	nut DIN 000934-M12 X1,5 -10
11	01107562	2	washer 21.2 DIN 000433-21 -140HV-A4C
12	01122071	2	split pin DIN 000094- 5 X 28-ST-A4C
13	01117930	1	washer DIN 006799- 9
14	01124812	4	screw DIN 000931- M14 X130 - 8.8-A4 C
15	01174739	4	washer H 000995-14,5X28X 6- 8.8 -A4C
16	01112322	3	screw m 8 p.1.25 x 20 ISO 004017-M 8 X 20 - 8.8-A4C
17	01107101	3	washer 8.4 DIN 000125-A 8,4-140HV-A4C
18	04313956	1	plate
19	01171734	4	screw H 002093- 7985-M 6X 16 -4.8 - H
20	04314020	2	rod
21	01136459	2	stop vm12x1,5 DIN 000980-VM12X1,5 - 8-A4C G EWACHST




BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM

DOPPEL - SCHEIBENBREMSE
DOUBLE DISC BRAKE
FREIN BI DISQUE
FRENO DE DISCO DOBLE

1027-29 504 1373

7442/0001
7443/0001



Section: BRAKE

OPERATION - PARKING BRAKE

Fig.	P/n	QTY	Name
22	01115480	2	pin ISO 008752- 8 X 60
23	04372761	1	handbrake lever BESTEHEND AUS POS.....
31	04345400	1	lever
32	04351481	1	switch
33	04306345	1	console UP TO CHASSIS-NO. FROM CHASSIS- FRAME NO....ITEM ... B004, FROM CHASSIS NO. ITEM. 51
34	02320979	1	spring
35	02320980	1	ratchet
36	01137603	1	pin ISO 002341-B 8F 8X 45 -ST50-2 -A4C
37	04347832	1	support
38	01106407	1	split pin DIN 000094- 2 X 14-ST-A4C
39	01107548	1	washer 8.4 DIN 000433- 8,4-140HV-A4C
40	04344843	1	cover
41	02324608	1	bush
42	01122674	1	pin ISO 008752- 5 X 18
43	02320982	1	spring
44	04360706	1	pin
45	01115435	2	pin ISO 008752- 5 X 24
46	01115416	2	pin ISO 008752- 4 X 14
50	04351667	1	support
51	04351670	1	console