



PARTS MANUAL

DXAB 92 TRACTOR

PRINTED BY :
heavy-equipmentmanual.com

DXab 92

BRAKE

Control assy./service brake, Parking brake

HAND BRAKE.....	13.29.0
OPERATION - P.T.O. SHAFT - REAR.....	13.29.7

Service brake, Contral assy./service brake

OPERATION - P.T.O. SHAFT - REAR.....	13.30.20
OPERATION - P.T.O. SHAFT - REAR.....	13.30.21
OPERATION - P.T.O. SHAFT - REAR.....	13.30.22
SERVICE BRAKE - DISC BRAKE.....	13.30.23
OPERATION - P.T.O. SHAFT - REAR.....	13.30.27
OPERATION - P.T.O. SHAFT - REAR.....	13.30.28
OPERATION - P.T.O. SHAFT - REAR.....	13.30.33
OPERATION - P.T.O. SHAFT - REAR.....	13.30.34
SERVICE BRAKE - DISC BRAKE.....	13.30.47
SERVICE BRAKE - DISC BRAKE.....	13.30.48

Pneumatic system


COMPRESSED-AIR UNIT.....	13.55.30
COMPRESSED-AIR UNIT.....	13.55.31
COMPRESSED-AIR UNIT.....	13.55.32
COMPRESSED-AIR UNIT.....	13.55.34

Hydr. brake for trailer

HYDR. BRAKE.....	13.56.5
------------------	---------

**DEUTZ
FAHR** FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM.

1405-29 503 6354



Section: BRAKE
HAND BRAKE

DXab 92

Ref: 13.29.0

Fig.	P/n	QTY	Name
Notes: [DXab 92]			
2	04313463	1	lever LEFT
3	04313468	1	lever RIGHTS
6	04357790	12	screw
7	04378717	2	brake disc
12	02386814	1	shaft
13	02386813	1	bushing
14	01161357	2	oil seal H 002927- 22 X 2 -NBR-1-60
15	02386815	1	washer
16	01107730	1	ring 20 x 1.2, d471 DIN 000471- 20X1,2
17	02386817	2	spring
20	04378793	2	brake shoe
22	04324306	1	plate
33	01118463	10	rivet DIN 007338-B 4X10-MS
35	04378793	1	brake shoe
41	04313624	2	brake disc

DXab 92

Section: BRAKE

Ref: 13.29.7

OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
Notes:			
[DXab 92]			
1	04337802	1	shaft
5	04359327	1	handbrake lever BESTEHEND AUS POS.....
8	04313486	2	tensioner
9	04313480	2	ring
10	01151578	2	nut DIN 000936-M12 -04
12	01107110	4	washer 13.5 DIN 000125-A13 -140HV-A4C
13	03387776	4	pin
14	01102527	2	pin ISO 008752-10 X 50
15	01115461	2	roll pin ISO 008752- 6 X 50
16	01172606	2	oil seal H 002940-AS 30X 40 X 7 -NI
17	01107138	2	washer 31x56x5 d125 DIN 000125-B31 -140HV-A4C
20	01110645	1	screw m 10 x 16, d912 DIN 000912- M10 X 16 - 8.8-A4 C
21	01119613	1	washer 10.5 DIN 007980-10-FST-A4C
22	01117930	1	washer DIN 006799- 9
23	04338791	1	plate
24	01171734	3	screw H 002093- 7985-M 6X 16 -4.8 - H
25	04337681	1	brake lever
26	04337688	1	brake lever
27	04346709	2	rod
28	04313482	2	rod
31	04337988	1	handle
32	04338790	1	cover
33	04332528	1	tube
34	02320978	1	support
35	02320980	1	ratchet
36	02320979	1	spring
37	04351614	1	bracket
38	01137190	1	pin




BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM.
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM.

1036-29 503 9153

2



OPERATION - P.T.O. SHAFT - REAR


Fig.	P/n	QTY	Name
			ISO 002341-B 8A11X 35X 29 -ST 50-2-A4C
39	01107548	1	washer 8.4
			DIN 000433- 8,4-140HV-A4C
40	01106407	1	split pin
			DIN 000094- 2 X 14-ST-A4C
41	01122674	1	pin
			ISO 008752- 5 X 18
42	02320982	1	spring
43	04360706	1	pin
44	02324608	1	bush
45	01115435	2	pin
			ISO 008752- 5 X 24
46	01115416	2	pin
			ISO 008752- 4 X 14



BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM.
ACCIONAMIENTO

FESTSTELLBREMSE
PARKING BRAKE
FREIN D'ARRET
FRENO ESTACIONAM.

1036-29 503 9153



Section: BRAKE


OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
Notes:			
[DXab 92]			
2	04314055	1	container
3	04314109	1	flexible hose
4	04305837	1	pipe fitting 6, d128
5	04305838	1	plug
6	04305839	1	plug
7	04314052	1	square
8	01129104	2	screw m 6 p.1.0 x 16 DIN 000933-M 6 X 16 SB- 8.8-A 4C
9	01126726	1	spring disc b6 d137 DIN 000137-B 6-FST-A4C
10	01112307	2	screw m 8 p.1.25 x 15, d933 ISO 004017-M 8 X 16 - 8.8-A4C
11	04312531	1	hood
13	04311150	1	valve
14	02317786	1	switch
15	01107101	1	washer 8.4 DIN 000125-A 8,4-140HV-A4C
16	01112824	3	nut m 8, d934 ISO 004032-M 8 - 8-A4C
17	04336162	1	pipng
18	04336166	1	pipng
19	04336168	1	pipng
21	04378300	3	shim
81	04355447	1	pedal
82	04327268	1	pedal
84	02389277	2	tube
85	04336161	1	stop
86	02386821	2	ball joint
87	01113158	2	nut m12x1,5 d936 DIN 000936-M12X1,5 -22H-A4C
88	04349697	2	ferrule
89	01129113	4	screw m 8 x 30 DIN 000933-M 8 X 30 SB- 8.8-A 4C
90	01107101	6	washer 8.4 DIN 000125-A 8,4-140HV-A4C
91	01112307	2	screw m 8 p.1.25 x 15, d933 ISO 004017-M 8 X 16 - 8.8-A4C
92	01235354	2	brace
93	01107740	1	circlip



BETÄTIGUNG 3.BETRIEBSBREMSE HAUPTZYLINDER
CONTROL ASSEMBLY 3.OPERATING BRAKE MAIN CYLINDER
CDE D'ACTIONNEM. 3.FREIN DE ROUTE MAÎTRE-CYLINDRE
ACCIONAMIENTO 3.FRENO DE RODADURA CILIND. PRINCIPAL


1023- 30 503 9170





BETÄTIGUNG 3.BETRIEBSBREMSE HAUPTZYLINDER
CONTROL ASSEMBLY 3.OPERATING BRAKE MAIN CYLINDER
CDE D'ACTIONNEM. 3.FREIN DE ROUTE MAÎTRE-CYLINDRE
ACCIONAMIENTO 3.FRENO DE RODADURA CILIND. PRINCIPAL

1023- 30 503 9170



Section: BRAKE

DXab 92

Ref: 13.30.20

OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
94	01162418	1	DIN 000471- 28X1,5 washer
95	01114714	2	H 002308-29 X44X2 -A4C pin
96	01107110	2	DIN 001434-12F 8X 35X 30 -ST5 0-2-ZNPHRF washer 13.5
97	02386782	1	DIN 000125-A13 -140HV-A4C pin
98	01171750	1	pin
99	01115459	1	H 002498-1470- 8 X 90 pin
100	02386603	1	ISO 008752- 6 X 45 pin
101	03387776	2	pin
102	04321200	2	bracket
103	04323349	2	spring
110	04368879	2	cylinder
111	04382943		sub-assy parts TO ITEM...
124	04302955	2	bushing
132	02962960	1	small mesh
133	04311138	1	screw


Section: BRAKE

OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[DXab 92]



12	01118659	2	oil seal
20	01173478	2	DIN 007603-A 10 X 13,5-CU rubber bushing
22	04336043	1	H 002928-F 6 X19 X 3 -GI DEUT Z11 piping
23	04336046	1	piping
24	02383008	1	clamp
25	01129113	1	screw m 8 x 30
26	01216315	2	DIN 000933-M 8 X 30 SB- 8.8-A 4C rubber plug
27	01121654	5	stop
28	04339954	2	DIN 074225- 14 flexible hose
29	04332125	2	socket
30	04325215	2	shim
63	04342592	1	tube
64	04342595	1	pipe fitting T
65	03499196	2	pipe fitting T
66	04342598	1	tube
67	04342601	1	tube




BETÄTIGUNG
CONTROL ASSEMBLY
CDE D'ACTIONNEM.
ACCIONAMIENTO

3.BETRIEBSBREMSE
3.OPERATING BRAKE
3.FREIN DE ROUTE
3.FRENO DE RODADURA

LEITUNGEN
LINES
CONDUITES
TUBERIAS

1023- 30 503 9172



Section: BRAKE

DXab 92

Ref: 13.30.22

OPERATION - P.T.O. SHAFT - REAR

Fig.	P/n	QTY	Name
Notes: [DXab 92]			
1	01269945	1	screw
16	01112824	3	nut m 8, d934 ISO 004032-M 8 - 8-A4C
27	01121654	5	stop DIN 074225- 14
45	01171262	2	fascia b 6x15 h3223 H 003223-B 6X15-W1/CR70-10
52	01118688	3	ring 14x17 DIN 007603-A 14 X 18 -CU
62	04337969	1	valve
68	04342607	1	tube
69	04344060	1	tube
70	04342610	1	tube
71	01111087	1	screw m 6x70 d931 ISO 004014- M 6 X 70 - 8.8-GE SCHW.
72	04342613	1	ring
73	04343945	1	console
74	04402747	1	flexible hose
76	03342936	1	vent
77	02961019	1	ring
79	01112813	1	nut m 6 DIN 000934-M 6 - 8-A4C
114	01103316	1	screw m 6 p.1.0 x 16 ISO 004017-M 6 X 16 - 8.8-A4C
123	01172687	2	fascia H 003223-B20X15-W1/CR70-10
140	04329100	2	valve
141	04337974	2	screw
142	01118727	2	oil seal DIN 007603-A 20 X 24 -CU

Section: BRAKE

SERVICE BRAKE - DISC BRAKE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[DXab 92]

3	04315376	1	screw
4	04315414	1	screw
5	04342617	1	brake disc
6	04334876	1	plate
7	04378819	1	brake shoe
8	04344643		sub-assy parts
9	04344644		sub-assy parts
10	04346146	1	bottom
11	04317239	2	valve

DEUTZ FAHR BETRIEBSBREMSE SCHEIBENBREMSE AUF GELENKWELLE
 OPERATING BRAKE DISC BRAKE ON JOINT SHAFT
 FREIN DE ROUTE FREIN A DISQUE SUR ARBRE A CARDAN
 FRENO DE RODADURA FRENO DE DISCO SOBRE ARBOL ARTICUL. 1446-30503 9173

